

SECTION 1: Identification of the substance or mixture and of the company**1.1. Product identifier**

Product Description: Solders for stainless steel.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified Use Professional use: Material for the soldering of orthodontic devices with melting range: 680-705°C.

1.3. Details of the supplier of the safety data sheet

Leone s.p.a.

I – 50019 Sesto Fiorentino – Firenze - Via P. a Quaracchi, 50

e-mail: research@leone.it – <http://www.leone.it>

Tel. +39 055.30.44.1 – Fax +39 055 374808.

1.4. Emergency telephone number

+39 055.30.44.1. An answering machine is on during closing time.

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture**

This product is classified as dangerous in accordance with Regulation (EC) no.1272/2008 (CLP) on classification, labelling and packaging of substances and mixtures. The product thus requires a safety data sheet according to Regulation (EC) no. 1907/2006, as amended.

Further information on health and / or the environment are given in Sections 11 and Sections 12 of this sheet.

Acute toxicity, cat. 4	H332
Ocular irritation, cat. 2	H319
Hazardous to the aquatic environment,	H413
Chronic toxicity cat. 4	

2.2. Label elements

Hazard statement(s)	H332	Harmful if inhaled.
	H319	Causes serious eye irritation.
	H413	May cause long-lasting harmful effects to aquatic life.
	EUH202	Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.
	EUH210	Safety data sheet available on request.
	EUH208	Contains Nickel. May produce an allergic reaction.
Precautionary statement(s)	P101	If medical advice is needed, have product container or label at hand.
	P102	Keep out of reach of children.
	P103	Read label before use.
	P260	Do not breathe dust/fumes/gas/mist/vapours/spray.
	P261	Avoid breathing dust/fumes/gas/mist/vapours/spray.
	P273	Avoid release to the environment.
	P280	Wear protective gloves/protective clothing/eye protection/face protection.
	P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P314	Get medical advice/attention if you feel unwell.

2.3. Other hazards

Not classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients**3.1. Substances**

This product is a mixture.



3.2. Mixtures

Chemical name	EC no.	CAS no.	%W/W	Hazard class(es) and category code(s)	H statements
Silver	231-131-3	7440-22-4	49-51	-	-
Copper	231-159-6	7440-50-8	26-29	-	-
Zinc	231-175-3	7440-66-6	20-22	Aquatic Chronic 4	EUH401
Manganese	231-105-1	7439-96-5	1.5-3		-
Nichel	231-111-4	7440-02-0	0.41-1	Carcinogenicity, cat.2 STOT RE. 1 Skin sens 1 Nota 7S	H351 H372 H317

SECTION 4: First aid measures

4.1. Description of first aid measures

No episode of damage to the personnel assigned to use the product. In case of necessity, will adopt the following general measures.

Inhalation	IF INHALED: move to fresh air. If breathing is irregular, seek medical advice.
Skin contact	Take off contaminated clothing. Wash immediately with plenty of water. If irritation persists, consult a doctor. Wash contaminated clothing before reuse.
Eye contact	IF IN EYES: Remove any contact lenses. Wash immediately with plenty of water for at least 15 minutes, with eyelids held open., consult a doctor if the problem persists.
Ingestion	Consult physician immediately. Induce vomiting only under physician instruction. Do not give anything orally without medical authorization if subject is unconscious.

4.2. Most important symptoms and effects, both acute and delayed

None of the components is toxic if swallowed even if absorbed through skin. In any case, for symptoms and effects caused by the contained substances see Section 11.

4.3. Indication of any immediate medical attention and special treatment needed

For precautions consult a doctor and follow his directions of inquiry if needed.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing Media	Use fire-fighting measures suitable to the environment.
Unsuitable extinguishing Media	Not applicable.

5.2. Special hazards arising from the substance or mixture

Fire or explosion hazards. The product is non-flammable and non-combustible.

5.3. Advice for firefighters

Protective clothing for fire-fighting as a self-contained, open-circuit compressed air breathing apparatus (EN 137). Flameproof equipment (EN 469) fireproof boots (HO A29 or A30).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid the formation of dust spraying the product with water, if there are not contraindications. DO NOT breathe vapors/mists and gases. Wear suitable protective equipment to prevent contamination of the skin, eyes and clothing (See section 8). These information are valid for workers and emergency operations.

6.2. Environmental precautions

Do not allow product to reach sewage system, ground water levels or any water course.

6.3. Methods and material for containment and cleaning up

Collect spillage using no sparking mechanical means the leaked product, place it in containers for recovery and disposal. Eliminate the remainder using jets of water if there are not contraindications. Ensure adequate ventilation of the contaminated place. Check the compatibility of the material of the containers in Section 7. The disposal of contaminated material must be made in accordance with the provisions of Section 13.

6.4. Reference to other sections

See sections 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handle the product after consultation with all other sections of this SDS. Avoid discharges into the environment. Do not eat, drink or smoke during use. Take off contaminated clothes and personal protective equipment before entering eating areas.



7.2. Conditions for safe storage, including any incompatibilities

Keep the product in the original containers. Store in closed containers in well-ventilated area, out of direct sunlight. Store the product away from incompatible materials, see Section 10.

7.3. Specific end uses

Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Silver granules

Type threshold value: TLV-ACGIH.

TWA/8h: 0.1 mg/m³.

Copper

Type threshold value: TLV-ACGIH.

TWA/8h: 0.2 mg/m³.

Predicted no-effect concentration for environment - PNEC

Reference value in fresh water: 7.8 mg/l.

Reference value in sea water: 52 mg/l.

Reference value for fresh water sediments: 87 mg/kg.

Reference value for sea water sediments: 676 mg/kg.

Health- derived no effect level- DNEL-DMEL

Exposition way	Effects for the consumers				Effects for workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Inhalation			20 mg/m ³ .	1 mg/m ³ .			1 mg/m ³ .	1 mg/m ³ .
Dermic			137 mg/kg/d.	VND.			137 mg/kg/d.	273 mg/kg/d.

Zinco

Predicted no-effect concentration for environment - PNEC

Reference value in fresh water: 20.6 mg/l.

Reference value in sea water: 6.1 mg/l.

Reference value for fresh water sediments: 117.8 mg/kg.

Reference value for sea water sediments: 56.5 mg/kg.

Health- derived no effect level- DNEL-DMEL

Exposition way	Effects for the consumers				Effects for workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral			0.83 mg/kg/d.	VND.				
Inhalation			2.5 mg/m ³ .	VND.			2.5 mg/m ³ .	VND.
Dermic			83 mg/kg/d.	VND.			83 mg/kg/d.	VND.

Manganese

Type threshold value: TLV-ACGIH

TWA/8h: 2 mg/m³.

8.2. Exposure controls

Whereas the use of adequate technical equipment must always take priority over personal protection equipment, ensure good ventilation in the workplace through effective local aspiration.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection wear protective airtight goggles (ref. Standard EN 166).

Hand protection In case of prolonged contact with the product, use work gloves resistant to penetration (ref. Standard EN 374). For the final selection of glove's material evaluate the process and any additional products derived from it. Please remember that the latex gloves may result in irritation phenomena.

Respiratory protection Not necessary, unless otherwise indicated in the chemical risk assessment.

Body protection Wear work clothes with long sleeves and safety footwear for professional use category I (ref. Directive 89/686 / EEC and standard EN ISO 20344). Wash with soap and water after removing protective clothing.

Environmental exposure controls



Emissions from production processes, including those from ventilation should be checked for compliance of environmental protection legislation. Product residues should not be discharged without control in sewage and water courses.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Solid.
Colour	Silver.
Odour	Odourless.
pH:	Not applicable.
Melting point:	>670°C.
Boiling point	Not applicable.
Boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not applicable.
Explosive limits (Upper)	Not applicable.
Explosive limits (Lower)	Not applicable.
Flammable limits (Upper)	Not available.
Flammable limits (Lower)	Not available.
Vapour tension	Not available.
Vapour density	Not available.
Solubility	Insoluble.
Octanol-water partition coefficient	Not applicable.
Auto ignition temperature	Not applicable.
Decomposition temperature	Not applicable.
Viscosity	Not applicable.
Explosive properties	Not applicable.
Oxidizing properties	Not applicable.

9.2. Other information

No other information.

SECTION 10: Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

In normal conditions of use and storage are not predictable hazardous reactions.

Zinc powder, risk of explosion with: ammonium nitrate, ammonium sulfide, barium peroxide, lead azide, chlorates, chromium trioxide, sodium hydroxide solutions, oxidizing agents, performic acid, acids, tetrachloromethane, water. Can react dangerously with: alkali hydroxides, bromine pentafluoride, calcium chloride in solution, fluorine, hexachloroethane, nitrobenzene, potassium dioxide, carbon disulfuro, silver. It reacts with Acids and strong alkalis developing hydrogen.

10.4. Conditions to avoid

None in particular, however the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

Powder Zinc: strong alkalis, strong acids and water.

10.6. Hazardous decomposition product(s)

Information not available.

11. SECTION 11: Toxicological information

11.1. Information on toxicological effects

In the absence of experimental toxicological data on the product itself any product health hazards were evaluated based on the properties of the substances contained, according to the criteria laid down by the relevant regulations for the classification. Consider, therefore, the concentrations for the individual dangerous substances listed in Section 3, to assess toxicological effects resulting from exposure to the product.

Acute effects: ocular contact causes irritation, symptoms may include: redness, swelling, pain and tearing. Ingestion may cause health disorders, including stomach pain and sting, nausea and vomiting.

The product contains cyano acrylate and it is dangerous because it sticks to the skin and eyes in few seconds. Therefore, store out of reach of children.

The product contains sensitizing substance/s and may cause allergic reactions.



Manganese

LD50(oral), Rat >2000mg/kg.

LC50 (inhalation), Rat >54 mg/l/4h.

SECTION 12: Ecological information

The product can represent a long-term and / or delayed danger, to the structure and / or functioning of aquatic systems.

12.1. Toxicity

Information not available.

12.2. Persistence and degradability

Zinc

Biodegradability: not available.

Copper:

Solubility in water: <0.1 mg/l.

Biodegradability: not available.

12.3. Bioaccumulative potential

Information not available.

12.4. Mobility in soil

Not available.

12.5. Results of PBT and vPvB assessment

According to the available information, the product does not contain any PBT or vPvB substances in percentages higher than of 0.1%.

12.6. Other adverse effects

No other information.

SECTION 13: Disposal considerations

Dispose of in accordance with local and national regulations. In Italy dispose of according to Legislative Decree of April 3 2006 no. 152 "Regulations on environmental subject", application of European Directives on environmental protection, and subsequent modifications and integrations.

13.1. Waste treatment methods

For solid waste, consider the possibility of a sanitary landfill disposal. Disposal must be performed through an authorized waste management firm, in compliance with national and local regulations.

Uncleaned packaging

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14: Transport information

Not dangerous according to current transportation regulations.

14.1. UN-number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not applicable.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Not applicable.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) no. 1272/2008 (Classification, labeling and packaging of substances and mixtures) and subsequent amendments, amending and repealing Directive 67/548/EEC and 1999/45/EC, and amending Regulation (EC) no. 1907/2006.

Directive 2009/161/EU (third list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Commission Directive 2000/39/EC).



This product is CE marked in accordance with the essential safety and performance requirements of Annex I of the European regulation on medical devices.

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Contained substances:

Point 27 Nichel

Seveso Category: 9i

D. Lgs. 152/2006 and amendments

Emissions according part V attached I

Tab. A1 Class 2 0.50%

Tab. B Class 3 21%

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

This Safety data sheet was prepared in accordance with the Commission Regulation (EU) no. 453/2010 and Commission Regulation (EU) no. 2015/830.

The safety data sheet has been written according to relevant European provisions, on the basis of information received by the supplier of the mixture.

The product is intended for orthodontic and odontological use only. The use of the product has to be restricted to skilled and licensed professionals. The information relates only to specific product designated and is not intended as a warranty of quality.

Leone disclaims any responsibility arising out of the use of the information here furnished, or of the handling, the application or the manufacture of the product here described. The final user is called to verify the application and completeness of the information herein in relationship to the specific use and reliability of the rules and local applicable dispositions.

The present information does not imply any liberty to break patent rights.

Previous safety data sheet no. R10/7E dated 29/05/2009 is to be considered obsolete. In comparison to the preceding revision, meaningful changes have not been effected but only adjustments to the European provisions which regulate the compilation of safety data sheet.

This safety data sheet is subject to revision. Visit our web site www.leone.it for an updated version of the present sheet.

Legend

ACGIH: American Conference of Governmental Industrial Hygienists.

CAS No.: Unique numerical identifier assigned by Chemical Abstracts Service.

EC50: Half maximal Effective Concentration: Refers to the concentration of toxicant which induces a response halfway between the baseline and maximum after a specified exposure time.

EC-No.: European Inventory of Existing Commercial Chemical Substances.

EN 149 Respiratory protective devices. Filtering half masks to protect against particles. Requirements, testing, marking.

EN166 Personal eye protection – Specifications.

EN ISO 20344: Personal protective equipment - Test methods for footwear.

EN137 Respiratory protective devices. Self-contained open-circuit compressed air breathing apparatus with full face mask. Requirements, testing, marking.

EN138: Respiratory protective devices. Specification for fresh air hose breathing apparatus for use with full face mask, half mask or mouthpiece assembly.

EN469: Protective clothing for firefighters. Performance requirements for protective clothing for firefighting.

EN529 Respiratory protective devices - Recommendations for selection, use, care and maintenance - Guidance Document.

HO A29or A30: UK Home Office specification A29 (rubber boots) or A30 (leather boots).

IBC Code: International Bulk Chemicals Code.

LC50: Lethal Concentration 50: lethal concentration of substance for 50% of organisms of a certain population during a certain exposure period.

LD50 Lethal Dose 50: the dose required to kill half the members of a tested population after a specified test duration.

PBT: Persistent, Bioaccumulative And Toxic Substances.

TLV: threshold limit value.

TWA: Time weighted average.

vPvB: Very Persistent And Very Bioaccumulative Substances.